

animals are divided into:

(a) belonging to the emperor,
(b) embalmed, (c) tame,
(d) suckling pigs, (e) sirens,
(f) fabulous, (g) stray dogs,
(h) included in the present classification, (i) frenzied,
(j) innumerable, (k) drawn with a very fine camelhair brush, (l) etcetera, (m) having just broken the water pitcher, (n) that from a long way off look like flies.

Jorge Luis Borges



Animal Africanum deforme .



VHomo, ore & collo Gruis.



McArthur Marium humana facie .





338 Monstrum Marinum rudimenta habitus
Episcopi referens.



IX. Monstrum septiceps .



347




Myas Aldrouandi

Gallus Indicus auritus triactylus
omnisu munda l. p. 10. A.





III. Infans brachio transposito.





PRIZENTACIJA kot taka - nekaj ne samo druge, ampak se pravzaprav sploh pojavlja kot
na blizu podoben prave stvari.




Harinacetus Marinus.







X. Infans cornutus ore patulo




XIII. *m* Foetus sine collo Bacchi æmulus ,
secundùm partem anteriorem figuratus.





I. Infans geminatus vniceps .





Gallus Monstrosus .







XII. Monstrum ex Regione Betica Hispaniæ.

XX. *Agnus capite monstifico.*








II Infans gemino ore oculis quatuor
& barba natus.








Mufla Bohemica Species




Effigies spoliij lacerti viridis cauda
geminata .

1. Sus biceps.



• *egolvg* M. Pullus quadrupes •





VIII. Pullus tripes .






Monstrum monocephalon binis
corporibus. 17



Fetus quaternis brachijs, & pedibus.





II. Monstrum bicorpor vnico capite valdè
monstroso .




Monstrosus Suis marinus






Monstrum bicornis, & monocephalon
vtriusq; sexus.








VIII. Gemella dorso coalita







V. Montresor's



Fœtus sui generis humano vultu.




[illegible]






Cancer Haeaeleotieus (infimus proni pides)




Infans cucullatus, cum cucullo membrana-
ceo à foetu separato.







II. Puer villosus instar Vrfi.




Lacertus viridis cauda duplici !





Homuncio cum substantia carnosa circa
pectus :





Rhombusolepis alba

